

10/08,3/36

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|----------------------------------|---|------------------|---------|------------------|
| L1 | 2 | "6625747".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/29 11:45 |
| L2 | 2 | L1 and information | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/29 11:52 |
| L3 | 0 | L1 and (information same source) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/29 11:45 |
| L4 | 2 | "5437002".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/29 11:53 |
| L5 | 2 | "5640530".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/29 11:54 |
| L6 | 2 | "5437022".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/29 11:56 |
| L7 | 493 | "370"/\$.ccls. and failover | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/29 11:56 |
| L8 | 6 | 7 and multipath\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/29 11:58 |

10/083,136

EAST Search History

| | | | | | | |
|----|---|------------------------------------|---|----|-----|------------------|
| L9 | 1 | 8 and (storage same controller\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/29 11:57 |
|----|---|------------------------------------|---|----|-----|------------------|

| | Title | Current OR | Current XRef |
|---|--|------------|--|
| 1 | System and method for dynamically sharing media in a computer network | 711/115 | 711/163; 711/3 |
| 2 | System and method for dynamically performing storage operations in a computer network | 707/204 | |
| 3 | System and method for dynamically sharing storage volumes in a computer network | 707/100 | |
| 4 | System and method for a failover protocol in storage area network controllers | 714/712 | |
| 5 | Identifying at-risk components in systems with redundant components | 707/202 | 707/102; 707/206 |
| 6 | Failover system for a DASD storage controller reconfiguring a first processor, a bridge, a second host adaptor, and a second device adaptor upon a second processor failure | 710/74 | 710/10; 710/17; 711/113; 711/114; 714/10 |
| 7 | Failover and failback system for a direct access storage device | 714/5 | |
| 8 | Alternate storage path selecting method for networks, involves identifying storage controller of existing storage path, and selecting alternate path that does not include storage controller of existing storage path | | |

| | Retrieval Classif | Inventor | S | C | P | 2 | 3 | 4 | 5 |
|---|----------------------|---------------------------------|---|---|---|---|---|---|---|
| 1 | | Kottomtharayil, Rajiv et al. | X | | | | | | |
| 2 | | Kottomtharayil, Rajiv et al. | X | | | | | | |
| 3 | | Kottomtharayil, Rajiv et al. | X | | | | | | |
| 4 | | Cherian, Jacob et al. | X | | | | | | |
| 5 | | Boggs; Gary Lee et al. | X | | | | | | |
| 6 | | Beardsley; Brent C. et al. | X | | | | | | |
| 7 | | Beardsley; Brent C. et al. | X | | | | | | |
| 8 | | CHERIAN, J et al. | X | | | | | | |